

FEATURES/SETTINGS

Operating frequencies	Fast and simultaneous Multi Frequency or 49 single frequencies from 4 to 45 kHz.
Sensitivity	99 levels
Sound type	Different sound options: PWM, SQUARE, High Square.
Audio Volume	10 levels for each audio output
Reactivity	9 levels
Audio Response	8 levels
Iron Volume	6 levels
Multi Tones	1, 2, 3, 4, 5, Pitch and Full Tones 1 and 2 + EXPERT modes
Multi Notchs	Yes
Ground balance	Tracking, Grab, Manual
Non-motion mode - Pinpoint	Yes
Discrimination	Audio and visual/ferrous bottle cap rejection on 5 levels/Silencer
Threshold	Threshold and Audio frequency adjustable
Equalizer	4 Bands configurable
Programs	12 factory programs + 12 users

GENERAL FEATURES

Display screen	4096 pixels
Software updates	Yes, by USB
Wireless Headphones optional	WS6 (rainproof) - WSAII (rainproof) - WSAII XL (IP 68-1m)
Wireless coil optional	DD 22.5cm-9"/28 cm-11"/34x28cm-13"x11" (fully waterproof 20m - 66 ft)
Coil cover	Yes
Headphone storage case	Yes (WS6, WSA II)
Stem	Fully telescopic, S-shaped (S-Telescopic lite)
Batteries	Remote/Coil: 700 mAh - Headphones: 365 mAh
Battery level indicator	Yes: Remote/Headphones/Coil/MI-6
Wireless Headphone battery life	~ 14H WSAII/WS6
Wireless Coil battery life	8H to 20H depending on programs and frequencies
Car charger	Optional
Charge time	~3 h
Total detector weight with batteries	See product page for details on each version
Stem weight	370 g (S-Telescopic) - 305 g (S-Telescopic lite)
Headphone weight with battery	WS6: 82 g - WSA II: 72 g - WSA II XL: 250 g
Coil weight	22.5cm- 9": 345 g - 28 cm-11": 470 g - 34x28cm-13"x11": 570 g
Length of folded stem	58 cm
Length of extended stem	130 cm
Waterproof coil	IP 68 - 20m - 66 ft, *optional antenna required when the coil is submerged
Warranty	Five year parts and labour. Batteries, chargers and connectors have a two year warranty



LONGTIME® LONGIVITY LABEL

Concerned about our planet and fighting against planned obsolescence, XP Metal Detectors have obtained the Long Time label. The first European label identifying and promoting products that are designed to last. XP Metal Detectors guarantee their metal detectors for 5 years and offer repairs and spare parts for a minimum of 10 years. DEUSII®, DEUS®, FMF®, ORX®, WS6 Master have all obtained the label certification. Visit www.xpmetaldetectors.com/en/page/who-we-are.php to learn more.



Visit www.xpmetaldetectors.com for more information, download the user guide for tips and technical information. Many more accessories are available. Visit an XP dealer or the XP website to see the full range and understand all the pack you can order. DEUSII®, DEUS®, FMF®, ORX®, are trademarks of XP Metal Detectors. The visuals and graphics provided are solely intended for demonstrative purposes, and the actual product may differ from the depicted configurations.

Photo credits: Xplorer® - Thomas Conte - Freepik.com / Creation and realisation: Thomas Conte - info@thomas-conte.fr / Print at: Cazaux Imprimerie - 31600 Muret - France

DEUS II

WS6
MASTER



- ONE MODULE FOR ALL TERRAIN,
- LIGHTEST DEUS II CONFIGURATION
- AGILE, POWERFUL, PERFORMANT
- FMF® FAST MULTI FREQUENCY
- ACCURATE TARGET ID AT DEPTH
- FULLY WIRELESS
- RICH AUDIO OPTIONS
- BUILT TO LAST



XP
METAL
DETECTORS



TRUSTED XP
FAST WIRELESS
TECHNOLOGY

10 TIMES FASTER
THAN LOW LATENCY
BLUETOOTH

ALL TERRAIN

With the WS6 Master, explore the great outdoors with ease and uncover hidden treasures effortlessly, thanks to the incredible adaptability and versatility. You can trust that it will deliver exceptional performance and precision on any terrain.



FROM 750G - (1.7 lbs)

Experience the world's lightest high-end metal detector. Detect for longer periods of time with ease, without sacrificing performance.

56

FULL SCREEN
ACCURATE T.ID

This compact WS6 module is equipped with a full screen mode that displays the target ID number. It's delivering crystal-clear visuals for easy identification of targets.



RICH AUDIO OPTIONS

With a large variety of sound types, you can fully customise your audio experience. Its 4-band equalizer ensures clear, precise signals.



GRAPHIC DISPLAY



RAINPROOF MODULE




FREE USB UPDATES

5 YEAR
WARRANTY

Choose simultaneous multi-frequency or the 49 frequencies of your choice, from 4 to 45 kHz.

FMF 4 to 45 kHz
Fast Multi Frequency



The above graphic illustrates the sensitivity and the iron discrimination capability depending on frequency and the advantage of Fast Multi Frequency programs covering a large spectrum of targets. This is only a basic schematic which can vary depending the programs and real terrain conditions.




ACCESS EVERY DEUS II SETTING




WS6 MODULE

- Wide graphic screen
- Rainproof module
- Access all 24 DEUS II programs including 12 factory and 12 customisable user programs



Decrease values.
Long press from main screen:
SHORTCUT to VOLUME

OPTIONS: Volume/Config.
In Option long press: EXPERT Mode
In Menu: Back
Long press from main screen :
SHORTCUT to GRAB



Increase values
Long press from main screen:
SHORTCUT GO TERRAIN PUSH

MENU : DISCRI/SENS/ ...
• Long press from menus:
EXPERT mode
• Long press from main screen:
PINPOINT MODE

F / NF (ferrous / non-ferrous)
and target strength

ACCESSORIES



WSA II Headphones



WSA II XL Headphones



Pinpointer MI-6
connected



FMF® Coils
34/28 - 28 - 22



HF® Coils



XP Wristband